0590

412



OIPE

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/780,438B

DATE: 11/21/2002
TIME: 10:08:29

Input Set : A:\EP.txt

Output Set: N:\CRF4\11212002\I780438B.raw

```
3 <110> APPLICANT: Qi, Xiaoyang
      5 <120> TITLE OF INVENTION: Fusogenic Properties of Saposin C and Related Proteins and
Polypeptides
              for Application to Transmembrane Drug Delivery Systems
      8 <130> FILE REFERENCE: 60/181,754
     10 <140> CURRENT APPLICATION NUMBER: US 09/780,438B
     11 <141> CURRENT FILING DATE: 2001-02-09
     13 <150> PRIOR APPLICATION NUMBER: 60/181,754
     14 <151> PRIOR FILING DATE: 2000-02-11
     16 <160> NUMBER OF SEQ ID NOS: 4
     18 <170> SOFTWARE: PatentIn version 3.1
     20 <210> SEQ ID NO: 1
     21 <211> LENGTH: 38
                                                                   ENTERED
     22 <212> TYPE: PRT
     23 <213> ORGANISM: Homo sapiens
     25 <220> FEATURE:
     26 <221> NAME/KEY: MISC FEATURE
     27 <222> LOCATION: (1)..(1)
     28 <223> OTHER INFORMATION: Where the amino acid located at 1 is a hydrophobic amino
acid,
              including Val, Leu, Ile, Met, Pro, Phe, and Ala
     32 <220> FEATURE:
     33 <221> NAME/KEY: MISC_FEATURE
     34 <222> LOCATION: (2)..(2)
     35 <223> OTHER INFORMATION: Where the amino acid located at 2 is an uncharged polar amino
acid,
              including Thr, Ser, Tyr, Gly, Gln, and Asn
     36
     39 <220> FEATURE:
     40 <221> NAME/KEY: MISC FEATURE
     41 <222> LOCATION: (5)..(5)
     42 <223> OTHER INFORMATION: Where the amino acid located at 5 is a hydrophobic amino
acid,
     43
              including Val, Leu, Ile, Met, Pro, Phe, and Ala
     46 <220> FEATURE:
     47 <221> NAME/KEY: MISC_FEATURE
     48 <222> LOCATION: (8)..(10)
     49 <223> OTHER INFORMATION: Where the amino acids located at 8-10 are hydrophobic amino
acids,
              including Val, Leu, Ile, Met, Pro, Phe, and Ala
     53 <220> FEATURE:
     54 <221> NAME/KEY: MISC_FEATURE
     55 <222> LOCATION: (13)..(13)
     56 <223> OTHER INFORMATION: Where the amino acid located at 13 is a hydrophobic amino
```

acid,

including Val, Lea, Ile, Met, Pro, Phe, and Ala

59 <220> FEATURE:

60 <221> NAME/KEY: MISC FEATURE

61 <222> LOCATION: (14)..(14)

62 <223> OTHER INFORMATION: Where the amino acid located at 14 is an uncharged polar amino acid,

```
PATENT APPLICATION: US/09/780,438B
                                                               TIME: 10:08:29
                      Input Set : A:\EP.txt
                      Output Set: N:\CRF4\11212002\I780438B.raw
              including Thr, Ser, Tyr, Gly, Gln, and Asn
     66 <220> FEATURE:
     67 <221> NAME/KEY: MISC FEATURE
     68 <222> LOCATION: (16)..(17)
     68 <222> LOCATION: (16)..(17) 69 <223> OTHER INFORMATION: Where the amino acids located at 16 and 17 are hydrophobic
amino
              acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     70
     73 <220> FEATURE:
     74 <221> NAME/KEY: MISC FEATURE
     75 <222> LOCATION: (22)..(22)
     76 <223> OTHER INFORMATION: Where the amino acid located at 22 is an uncharged polar
amino
              acid, including Thr, Ser, Tyr, Gly, Gln, and Asn
     80 <220> FEATURE:
     81 <221> NAME/KEY: MISC FEATURE
     82 <222> LOCATION: (26)..(27)
     83 <223> OTHER INFORMATION: Where the amino acids located at 26 and 27 are hydrophobic
amino
              acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     87 <220> FEATURE:
     88 <221> NAME/KEY: MISC FEATURE
     89 <222> LOCATION: (29)..(30)
     90 <223> OTHER INFORMATION: Where the amino acids located at 29 and 30 are hydrophobic
amino
              acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     94 <220> FEATURE:
     95 <221> NAME/KEY: MISC FEATURE
     96 <222> LOCATION: (33)..(33)
     97 <223> OTHER INFORMATION: Where the amino acid located at 33 is a hydrophobic amino
acid,
     98
              including Val, Leu, Ile, Met, Pro, Phe, and Ala
     101 <220> FEATURE:
     102 <221> NAME/KEY: MISC FEATURE
     103 <222> LOCATION: (35)..(35)
     104 <223> OTHER INFORMATION: Where the amino acid located at 35 is an uncharged polar
amino
     105
               acid, including Thr, Ser, Tyr, Gly, Gln, and Asn
     108 <220> FEATURE:
     109 <221> NAME/KEY: MISC FEATURE
     110 <222> LOCATION: (37)..(38)
     111 <223> OTHER INFORMATION: Where the amino acids located at 37 and 38 are hydrophobic
amino
               acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     112
     115 <400> SEQUENCE: 1
W--> 117 Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Xaa Lys Glu Xaa Xaa Lys Xaa
     118 1
                                              10
W--> 121 Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Xaa Asp Lys
                                          25
W--> 125 Xaa Cys Xaa Lys Xaa Xaa
     126
                 35
     129 <210> SEQ ID NO: 2
     130 <211> LENGTH: 39
     131 <212> TYPE: PRT
```

RAW SEQUENCE LISTING

132 <213> ORGANISM: Homo sapiens

134 <220> FEATURE:

135 <221> NAME/KEY: MISC\_FEATURE

## PATENT APPLICATION: US/09/780,438B TIME: 10:08:29 Input Set : A:\EP.txt Output Set: N:\CRF4\11212002\I780438B.raw 136 <222> LOCATION: (1)..(2) 137 <223> OTHER INFORMATION: Where the amino acids located at 1 and 2 are hydrophobic amino acids, including Val, Led, Ile, Met, Pro, Phe, and Ala 138 141 <220> FEATURE: 142 <221> NAME/KEY: MISC FEATURE 143 <222> LOCATION: (3)..(3) 144 <223> OTHER INFORMATION: Where the amino acid located at 3 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn 145 148 <220> FEATURE: 149 <221> NAME/KEY: MISC FEATURE 150 <222> LOCATION: (6)..(6) 151 <223> OTHER INFORMATION: Where the amino acid located at 6 is a hydrophobic amino acid, 152 including Val, Leu, Ile, Met, Pro, Phe, and Ala 155 <220> FEATURE: 156 <221> NAME/KEY: MISC FEATURE 157 <222> LOCATION: (9)..(11) 158 <223> OTHER INFORMATION: Where the amino acids located at 9-11 are hydrophobic amino acids, 159 including Val, Leu, Ile, Met, Pro, Phe, and Ala 162 <220> FEATURE: 163 <221> NAME/KEY: MISC FEATURE 164 <222> LOCATION: (14)..(14) 165 <223> OTHER INFORMATION: Where the amino acid located at 14 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala 166 169 <220> FEATURE: 170 <221> NAME/KEY: MISC FEATURE 171 <222> LOCATION: (15)..(15) 172 <223> OTHER INFORMATION: Where the amino acid located at 15 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn 173 176 <220> FEATURE: 177 <221> NAME/KEY: MISC FEATURE 178 <222> LOCATION: (17)..(18) 179 <223> OTHER INFORMATION: Where the amino acids located at 17 and 18 are hydrophobic amino 180 acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala 183 <220> FEATURE: 184 <221> NAME/KEY: MISC FEATURE 185 <222> LOCATION: (23)..(23) 186 <223> OTHER INFORMATION: Where the amino acid located 23 is an uncharged polar amino acid, 187 including Thr, Ser, Tyr, Gly, Gln, and Asn 190 <220> FEATURE: 191 <221> NAME/KEY: MISC\_FEATURE 192 <222> LOCATION: (27)..(28) 193 <223> OTHER INFORMATION: Where the amino acids located at 27 and 28 are hydrophobic amino 194 acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

RAW SEQUENCE LISTING

197 <220> FEATURE:

198 <221> NAME/KEY: MISC\_FEATURE
199 <222> LOCATION: (30)..(31)
200 <223> OTHER INFORMATION: Where the amino acids located at 30 and 31 are hydrophobic amino
201 acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

TIME: 10:08:29

```
Input Set : A:\EP.txt
                     Output Set: N:\CRF4\11212002\I780438B.raw
     205 <221> NAME/KEY: MISC FEATURE
     206 <222> LOCATION: (34)..(34)
     207 <223> OTHER INFORMATION: Where the amino acid located at 34 is a hydrophobic amino
acid,
     208
               including Val, Leu, Ile, Met, Pro, Phe, and Ala
     211 <220> FEATURE:
     212 <221> NAME/KEY: MISC FEATURE
     213 <222> LOCATION: (36)..(36)
     214 <223> OTHER INFORMATION: Where the amino acid located at 36 is an uncharged polar
amino
               acid, including Thr, Ser, Tyr, Gly, Gln, and Asn
     215
     218 <220> FEATURE:
     219 <221> NAME/KEY: MISC FEATURE
     220 <222> LOCATION: (38)..(39)
     221 <223> OTHER INFORMATION: Where the amino acids located at 38 and 39 are hydrophobic
amino
     222
               acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     225 <400> SEQUENCE: 2
W--> 227 Xaa Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Xaa Lys Glu Xaa Xaa Lys
     228 1
                         5
W--> 231 Xaa Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Xaa Asp
     232
                                          25
W--> 235 Lys Xaa Cys Xaa Lys Xaa Xaa
                 35
     239 <210> SEQ ID NO: 3
     240 <211> LENGTH: 38
     241 <212> TYPE: PRT
     242 <213> ORGANISM: Homo sapiens
     244 <220> FEATURE:
     245 <221> NAME/KEY: MISC FEATURE
     246 <222> LOCATION: (1)..(1)
     247 <223> OTHER INFORMATION: Where the amino acid located at 1 is a hydrophobic amino
acid,
     248
               including Val, Leu, Ile, Met, Pro, Phe, and Ala
     251 <220> FEATURE:
     252 <221> NAME/KEY: MISC FEATURE
     253 <222> LOCATION: (2)..(2)
     254 <223> OTHER INFORMATION: Where the amino acid located at 2 is an uncharged polar
amino acid,
     255
               including Thr, Ser, Tyr, Gly, Gln, and Asn
     258 <220> FEATURE:
     259 <221> NAME/KEY: MISC_FEATURE
     260 <222> LOCATION: (5)..(5)
     261 <223> OTHER INFORMATION: Where the amino acid located at 5 is a hydrophobic amino
acid,
     262
               including Val, Leu, Ile, Met, Pro, Phe, and Ala
     265 <220> FEATURE:
     266 <221> NAME/KEY: MISC FEATURE
     267 <222> LOCATION: (8)..(10)
     268 <223> OTHER INFORMATION: Where the amino acids located at 8-10 are hydrophobic amino
acids,
     269
               including Val, Leu, Ile, Met, Pro, Phe, and Ala
     272 <220> FEATURE:
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/780,438B

273 <221> NAME/KEY: MISC\_FEATURE

274 <222> LOCATION: (13)..(13)

275 <223> OTHER INFORMATION: Where the amino acid located at 13 is a hydrophobic amino acid,

TIME: 10:08:29

```
Input Set : A:\EP.txt
                     Output Set: N:\CRF4\11212002\I780438B.raw
     276
               including Val, Leu, Ile, Met, Pro, Phe, and Ala
     279 <220> FEATURE:
     280 <221> NAME/KEY: MISC FEATURE
     281 <222> LOCATION: (14)..(14)
     282 <223> OTHER INFORMATION: Where the amino acid located at 14 is an uncharged polar
amino
     283
               acid, including Thr, Ser, Tyr, Gly, Gln, and Asn
     286 <220> FEATURE:
     287 <221> NAME/KEY: MISC FEATURE
     288 <222> LOCATION: (16)..(17)
     289 <223> OTHER INFORMATION: Where the amino acids located at 16 and 17 are hydrophobic
amino
     290
               acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     293 <220> FEATURE:
     294 <221> NAME/KEY: MISC FEATURE
     295 <222> LOCATION: (22)..(22)
     296 <223> OTHER INFORMATION: Where the amino acid located at 22 is an uncharged polar
amino
     297
               acid, including Thr, Ser, Tyr, Gly, Gln, and Asn
     300 <220> FEATURE:
     301 <221> NAME/KEY: MISC FEATURE
     302 <222> LOCATION: (26)..(27)
     303 <223> OTHER INFORMATION: Where the amino acids located at 26 and 27 are hydrophobic
amino
     304
               acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     307 <220> FEATURE:
     308 <221> NAME/KEY: MISC FEATURE
     309 <222> LOCATION: (29)..(30)
     310 <223> OTHER INFORMATION: Where the amino acids located at 29 and 30 are hydrophobic
amino
               acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     311
     314 <220> FEATURE:
     315 <221> NAME/KEY: MISC FEATURE
     316 <222> LOCATION: (33)..(33)
     317 <223> OTHER INFORMATION: Where the amino acid located at 33 is a hydrophobic amino
acid,
               including Val, Leu, Ile, Mét, Pro, Phe, and Ala
     318
     321 <220> FEATURE:
     322 <221> NAME/KEY: MISC FEATURE
     323 <222> LOCATION: (35)..(35)
     324 <223> OTHER INFORMATION: Where the amino acid located at 35 is an uncharged polar
amino
     325
               acid, including Thr, Ser, Tyr, Gly, Gln, and Asn
     328 <220> FEATURE:
     329 <221> NAME/KEY: MISC FEATURE
     330 <222> LOCATION: (37)..(38)
     331 <223> OTHER INFORMATION: Where the amino acids located at 37 and 38 are hydrophobic
amino
     332
               acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala
     335 <400> SEQUENCE: 3
W--> 337 Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Lys Glu Xaa Xaa Lys Xaa
     338 1
W--> 341 Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Asp Lys
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/780,438B

342 20 W--> 345 Xaa Cys Xaa Lys Xaa Xaa

25

30

35

346 349 <210> SEQ ID NO: 4 RAW SEQUENCE LISTING ERROR SUMMARY

PATENT APPLICATION: US/09/780,438B

DATE: 11/21/2002

TIME: 10:08:30

Input Set : A:\EP.txt

Output Set: N:\CRF4\11212002\I780438B.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1, 2, 5, 8, 9, 10, 13, 14, 16, 17, 22, 26, 27, 29, 30, 33, 35, 37, 38 Seq#:2; Xaa Pos. 1, 2, 3, 6, 9, 10, 11, 14, 15, 17, 18, 23, 27, 28, 30, 31, 34, 36, 38, 39/ Seq#:3; Xaa Pos. 1, 2, 5, 8, 9, 10, 13, 14, 16, 17, 22, 26, 27, 29, 30, 33, 35, 37, 38 Seq#:4; Xaa Pos. 1, 2, 5, 8, 9, 10, 13, 14, 16, 17, 22, 26, 27, 29, 30, 33, 35, 37, 38

## VERIFICATION SUMMARY

DATE: 11/21/2002 PATENT APPLICATION: US/09/780,438B TIME: 10:08:30

Input Set : A:\EP.txt

Output Set: N:\CRF4\11212002\1780438B.raw

L:117	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:1	after	pos.:0
L:121	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:1	after	pos.:16
L:125	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:1	after	pos.:32
L:227	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:2	after	pos.:0
L:231	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:2	after	pos.:16
L:235	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:2	after	pos.:32
L:337	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:3	after	pos.:0
L:341	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:3	after	pos.:16
L:345	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:3	after	pos.:32
L:449	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:4	after	pos.:0
L:453	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:4	after	pos.:16
L:457	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEO	ID#:4	after	pos.:32